

2025

ONGUARDTM

INDUSTRIAL SAFETY Rx EYEWEAR



ONGUARD™

INDUSTRIAL SAFETY Rx EYEWEAR

ONGUARD SAFETY EYEWEAR PROGRAM

For over two decades, OnGuard Industrial Safety Eyewear has been among the most trusted and reliable names in the industry. With a steadfast commitment to safeguarding your vision, our team is dedicated to creating eyewear that not only meets tough industry standards, but sets new benchmarks in quality, performance, and style.

We invite you to explore our 2025 catalog and discover a diverse portfolio of styles that can be curated specifically for your unique needs. Your trust in our brand drives our ongoing quest for excellence in the world of safety eyewear, and we are honored to be your partner in protecting the priceless vision of your customers.

**NEW styles
for 2025!**

OG H250, XC231 & XC232 featured on page 19



ONGUARD PIECE-OF-MIND WARRANTY

Dispense with Confidence.

All Hilco Vision Safety frames are guaranteed to be free from defects in material and workmanship for a period of two (2) years. Warranty period begins on the date of purchase by the patient.

Warranty Replacement:

- Prior to returning any product please call 1-800-955-6544 to obtain an RMA number from a Hilco Vision Customer Care representative.
- A replacement frame will be shipped immediately; at full net selling price.
- The warranty claim will be reviewed upon receipt of RMA* and classified as either:
 - **Manufacture Defect**, in which case a credit will be applied for the warranty replacement frame shipped previously, or
 - **Not Defective**, in which case no credit will be applied

*RMA must be received 3 months after issue

TABLE OF CONTENTS

OnGuard Collections	4-23
OnGuard Made in the USA Collection	4-5
OnGuard Wrap Collection	6-9
OnGuard Titanium Collection.....	10-11
OnGuard Elite Collection	12-13
OnGuard Premium Collection	14-15
OnGuard Value Collection	16-18
OnGuard Basic Collection.....	19-22
OnGuard Specialty Collection	23
OnGuard & A-2 Side Shield Reference Chart.....	24
A-2 Collection	25
Safety Eyewear Accessories.....	26
Express Rx Lab Program.....	27

CATALOG TERMS REFERENCE KEY

Side Shield Options

- SHIELD®** Permanent or detachable rivetless technology. Mounting from the inside, not compromising the look of the frame.
- EZ Shield™**  Side shield that can be used as a removable shield or locked into position for a permanent installation.
- Integrated**  Frame and side shield manufactured as a complete unit.

Frame Size Key



Key Features

-  **ADJUSTABLE TEMPLES** Adjustable Temples provide custom fit.
-  **REPLACEABLE NOSE BRIDGE** Replaceable Nose Bridge for extended product life.
-  **REPLACEABLE DUST DAM** Replaceable Dust Dam for extended product life.
-  **METAL FREE** Metal Free.
-  **V-PORT TECHNOLOGY** View-Port Technology for peripheral viewing and ventilation.
-  **TELESCOPIC TEMPLES** Temples extend for added comfort and fit.
-  **NON CONDUCTIVE** Plastic frames that contain shielded metal parts.
-  **T-GUARD** Patented T-Wire design for superior lens retention.
- Unifit Bridge** One piece bridge/nose piece distributes the safety frame weight evenly over the nose.



See our Safety Eyewear Accessories on page 26.

SAFETY FRAMES LIKE NEVER BEFORE...

COMFORT FIT TEMPLES

Soft TPU coating provides added grip & superior comfort.

NON-CONDUCTIVE

Contains no metal components.



Made In USA 5-Place Frame Case

Features the Made in USA collection.

5-Place Made in USA Case

PART No: 1098795

MADE IN THE USA COLLECTION


- USA materials, molding & assembly
- Complete full seal option



US 110S MADE IN USA

ANSI Z87.1 | CSA Z94.3

Material: Thermoplastic Polyurethane



Replacement full seal



US 110FS FULL SEAL


Removable full seal



US 120S MADE IN USA

ANSI Z87.1 | CSA Z94.3*

Material: Thermoplastic Polyurethane



*Note: Does not meet CSA Z94.3 without Full Seal.



Replacement full seal



US 120FS FULL SEAL

Removable full seal





DESIGNED FOR TOUGH WORKING CONDITIONS.

Options with specially designed dust dams and full seals to suit nearly any industry.



6-Place OnGuard Safety Frame Display

Features the 6 top best sellers
within the Wrap collection.

6-Place Safety Frame Display
PART NO: 1301451



Top 15 OnGuard Safety Frame Kit

Features the 15 top selling
OnGuard frame styles.

Replacement Temple Strap

Fits: OG 210S, 220S/FS, 225S, 230S, 240S, 255S

Replacement Temple Strap
PART NO: 1072392



15-Place Safety Frame Kit
PART NO: 1081236

WRAP COLLECTION

- Designed to cover needs in environments ranging from every day wear to more extreme working conditions



OG 240S

ANSI Z87.1 | CSA Z94.3



Matte
Black



Matte
Gunmetal



Matte
Camo



Matte
Burgundy



Material: Nylon | Removable temple strap included
| Available with ANSI plano sun lenses (non-polarized)

57	37	59.0	15	135	Integrated
61	39	62.9	15	135	

Removable full dust dam



(sold separately)



**REMOVABLE FULL
DUST DAM OPTION**
(shown with demo lenses)

OG 210S


ANSI Z87.1 | CSA Z94.3



Black



Brown



Material: Thermoplastic Polyurethane (Forceflex®) |
Designed for better wear in more extreme environments



OG 220S (DD WITH DUST DAM)

ANSI Z87.1 | CSA Z94.3 | EN166



Clear



Black



Brown



Pink/Grey




Purple/
White



Green/
Yellow

Material: Nylon | Specially designed to fit a range of
sizes from petite women to men



OG 220FS

ANSI Z87.1 | CSA Z94.3



Black

Material: Nylon | Replaceable full eye seal protects
against dust and dirt in extreme conditions |
Indirect venting improves airflow and reduces fogging |
Removable strap included



OG 225S

ANSI Z87.1 | CSA Z94.3 | EN166



Matte Navy/
Orange



Matte
Gunmetal/
Green



Silver/Navy



Matte Black/
Yellow



Material: Nylon | Removable temple strap included
| Additional close-fit bridge included

55	34	57.3	15	130	Integrated
57	36	60.0	16	135	
61	39	63.3	17	135	

Removable full dust dam



(sold separately)

OG 230S

ANSI Z87.1



Matte Navy



Matte Black



Shiny Red



Material: Nylon | 8-base frame includes a 6-base insert
| Comfort fit bridge

55	32	56.9	22	118/135	Integrated
----	----	------	----	---------	------------

2025 PHASE OUT

OG 255S

ANSI Z87.1 | CSA Z94.3



Clear



Material: Nylon | Telescopic temples for adjustable length

59	39	62.2	15	130/139	Integrated
----	----	------	----	---------	------------

TITANIUM COLLECTION

- Superior strength, slim profiles, light weight comfort
- Hypoallergenic material increases wearer compatibility
- Spring hinges or flex temples for long lasting adjustment and wear




OG 076

2025 PHASE OUT



ANSI Z87.1 | CSA Z94.3

Material: Titanium | Spring hinges | Nickel free



						141EZ - EZ Shield™
51	36	54.9	19	140		
53	38	56.4	19	140		

OG 099



ANSI Z87.1 | CSA Z94.3

Material: Titanium | Spring hinges | Nickel free



						169EZ - EZ Shield™
53	34	55.1	19	140		
55	36	57.1	19	140		

OG 110



ANSI Z87.1 | CSA Z94.3

Material: Titanium | Spring hinges | Nickel free



Brown



Gunmetal

52	32	54.3	19	140	180EZ - EZ Shield™	
54	33	56.4	19	140		

OG 140



ANSI Z87.1 | CSA Z94.3

Material: Titanium | Spring hinges | Nickel free



Grey



Brown

51	33	53.3	19	140	213EZ - EZ Shield™	
53	34	55.6	19	145		

OG 709FT



ANSI Z87.1 | CSA Z94.3

Material: Flex Titanium | Nickel free



Bronze

2025 PHASE OUT (54)



Gunmetal

2025 PHASE OUT (52)

52	40	56.2	19	140	165EZ - EZ Shield™	
54	42	58.7	19	145		

ELITE COLLECTION

- i-Shield® can be used as a removable or permanent shield and maintains the frame style integrity while ensuring safety
- Contemporary styles with metal and acetate combinations for both men and women



OG 613



ANSI Z87.1 | CSA Z94.3



Black



Navy



Brown

2025 PHASE OUT

Material: Stainless Steel/Acetate | Spring hinges

54	33	57.5	17	135	
57	33	60.2	17	145	

SHIELD 613i

OG 614



ANSI Z87.1 | CSA Z94.3



Matte Black



Matte Silver

2025 PHASE OUT

Material: Stainless Steel | Spring hinges

55	37	58.1	17	140	
58	37	60.5	18	140	

SHIELD 614i

OG 616



ANSI Z87.1 | CSA Z94.3



Matte Navy



Matte Silver

2025 PHASE OUT (54)

Material: Stainless Steel | Spring hinges

54	38	57.2	18	135	
60	39	62.6	19	145	

SHIELD 616i

OG 619



ANSI Z87.1 | CSA Z94.3

Material: Acetate | Spring hinges



Black



Tortoise

52	36	54.9	17	135		SHIELD 619i
54	36	56.9	17	140		

OG 620



ANSI Z87.1 | CSA Z94.3

Material: Acetate | Spring hinges



Matte Brown



Matte Navy

57	39	61.4	18	145		SHIELD 620i
59	39	63.2	18	145		

OG 621



ANSI Z87.1 | CSA Z94.3

Material: Acetate | Spring hinges



Black



Burgundy

50	34	52.9	17	135		SHIELD 621i
52	34	54.6	17	135		

PREMIUM COLLECTION

- Fashionable and sophisticated styles for both men and women
- All styles featuring spring hinges



OG 108

ANSI Z87.1 | CSA Z94.3


Material: Acetate | Spring hinges



Blue



Black



OG 125



ANSI Z87.1 | CSA Z94.3


Material: Monel | Spring hinges



Chocolate Chrome



Brushed Silver



OG 138



ANSI Z87.1 | CSA Z94.3

Material: Monel | Spring hinges



Black




Grey

2025 PHASE OUT



Brown

2025 PHASE OUT



OG 144



ANSI Z87.1 | CSA Z94.3

Material: Acetate | Spring hinges



Black



Brown

2025 PHASE OUT (54)

54	31	54.8	17	145	217EZ - EZ Shield™	
56	32	57.4	17	145		

OG 401 & 401A (UNIVERSAL FIT)



ANSI Z87.1 | CSA Z94.3

Material: Acetate | Spring hinges



Blue



Purple

52	30	53.1	17	135	401EZ - EZ Shield™	

OG 450



ANSI Z87.1 | CSA Z94.3*

Material: Stainless Steel | Spring hinges



Gunmetal
(51/53)



Brown (53)

51	31	52.6	18	140	450EZ - EZ Shield™	
53	33	54.9	18	145		

OG 451



ANSI Z87.1 | CSA Z94.3*

Material: Stainless Steel | Spring hinges



Violet



Rose



Brown

48	31	49.7	18	135	450EZ - EZ Shield™	
50	33	51.8	18	140		

OG 508



ANSI Z87.1 | CSA Z94.3

Material: Stainless Steel | Spring hinges



Black



Pewter



Gold

2025 PHASE OUT (55/57)

55	34	57.1	18	130	508EZ - EZ Shield™	
57	35	59.2	18	130		
59	36	61.3	18	130		

VALUE COLLECTION

- Our broadest range of sizes and styles
- Frames for both men and women



OG C213



ANSI Z87.1 | CSA Z94.3


Material: Stainless Steel/Acetate | Spring hinges



Black
Gunmetal



Tortoise
Gold



OG C214



ANSI Z87.1 | CSA Z94.3


Material: Stainless Steel/Acetate | Spring hinges



Tortoise
Gold



Black
Black



OG 019



ANSI Z87.1 | CSA Z94.3

Material: Monel | Spring hinges | Unifit bridge



Gold



Gunmetal

54	47	62.3	16	140	109EZ - EZ Shield™
56	49	65.3	16	140	

OG 021



ANSI Z87.1 | CSA Z94.3

Material: Acetate | Spring hinges



Black



Tortoise/Navy

53	35	55.8	18	140	021EZ - EZ Shield™

OG 086



ANSI Z87.1 | CSA Z94.3

Material: Monel | Spring hinges



Black Chrome



Chocolate Chrome

51	35	52.6	19	140	151EZ - EZ Shield™
53	37	54.7	19	140	
55	38	57.2	19	145	

OG 090



ANSI Z87.1 | CSA Z94.3

Material: Monel | Spring hinges



Antique Bronze



Antique Pewter

50	35	52.8	20	140	161EZ - EZ Shield™
52	37	54.8	20	140	
54	38	57.3	20	145	

OG 101



ANSI Z87.1 | CSA Z94.3

Material: Monel | Spring hinges



Chocolate
Chrome



Steel Blue

2025 PHASE OUT

48	33	48.9	21	135	163EZ - EZ Shield™	
50	34	50.6	21	135		

OG 102



ANSI Z87.1 | CSA Z94.3

Material: Monel | Spring hinges



Antique Pewter



Chocolate
Chrome

52	41	56.7	17	140	165EZ - EZ Shield™	
54	42	58.4	17	140		
56	44	60.7	17	140		
58	45	63.4	17	140		

OG 103



ANSI Z87.1 | CSA Z94.3

Material: Monel | Spring hinges



Chocolate
Chrome



Antique
Pewter

55	34	56.5	21	145	182EZ - EZ Shield™	

OG 112



ANSI Z87.1 | CSA Z94.3

Material: Stainless Steel



Antique
Pewter



Chocolate
Chrome

51	35	54.5	17	140	182EZ - EZ Shield™	
53	36	56.5	17	140		

BASIC COLLECTION

- Popular styles for the cost conscious buyer
- Comprehensive size ranges are offered for a wide variety of fit requirements
- Both plastic and metal styles



OG H250 NEW

ANSI Z87.1 | CSA Z94.3




Gray



Blue

Material: Polycarbonate/Thermoplastic Polyurethane
| Lightweight | Built-in side shields | Non-Conductive



OG XC231 NEW



ANSI Z87.1 | CSA Z94.3

Material: Acetate | Spring Hinges | XL size



Gray



OG XC232 NEW



ANSI Z87.1 | CSA Z94.3

Material: Acetate | Spring Hinges | XL size



Brown



OG C211




ANSI Z87.1 | CSA Z94.3

Material: Stainless Steel



Gunmetal



OG C212



ANSI Z87.1 | CSA Z94.3

Material: Acetate



Black/Silver



Tortoise/Gold



OG F214



ANSI Z87.1 | CSA Z94.3


Material: Acetate



Teal



Tortoise



OG F217



ANSI Z87.1 | CSA Z94.3


Material: Acetate



Gray



Navy



OG 013



ANSI Z87.1 | CSA Z94.3

Material: Acetate



Black



Tortoise

49	36	50.8	19	145	EDGE SHIELD	013EZ - EZ Shield™

OG 014



ANSI Z87.1 | CSA Z94.3

Material: Acetate



Matte Clear



Matte Tortoise

50	32	51.9	16	145	EDGE SHIELD	014EZ - EZ Shield™

OG 015



ANSI Z87.1 | CSA Z94.3

Material: Acetate



Black



Tortoise

52	34	54.5	17	140	EDGE SHIELD	015EZ - EZ Shield™

OG 070



ANSI Z87.1 | CSA Z94.3

Material: Nickel Silver



Gunmetal



Gold

2025 PHASE OUT (50)

50	33	53.3	16	140	EDGE SHIELD	204EZ - EZ Shield™
52	35	55.3	16	140		
54	36	57.4	16	140		
56	37	59.5	16	145		

OG 071



ANSI Z87.1 | CSA Z94.3

Material: Nickel Silver



Gold



Gunmetal

52	39	56.7	18	140	EDGE SHIELD	205EZ - EZ Shield™
54	40	58.6	18	140		
56	42	61.2	18	140		

OG 085



ANSI Z87.1 | CSA Z94.3

Material: Monel



Gunmetal



Gold

SIZE	50	34	50.6	19	140	150EZ - EZ Shield™
	52	35	52.7	19	140	
	54	38	54.7	19	145	

OG 091



ANSI Z87.1 | CSA Z94.3

Material: Monel | Unifit bridge



Gunmetal



Gold

SIZE	50	34	50.6	19	140	150EZ - EZ Shield™
	52	36	52.6	19	140	
	54	37	54.4	19	145	

OG 093



ANSI Z87.1 | CSA Z94.3

Material: Monel



Gold



Gunmetal

SIZE	48	33	49.0	21	135	163EZ - EZ Shield™
	50	34	51.1	21	135	

OG 095



ANSI Z87.1 | CSA Z94.3

Material: Monel



Gunmetal



Gold

SIZE	52	41	56.7	17	140	165EZ - EZ Shield™
	54	42	58.7	17	140	
	56	44	60.7	17	140	

OG 160S

ANSI Z87.1 | CSA Z94.3

Material: Nylon



Brown



Grey

SIZE	60	38	62.9	15	131	Integrated
------	----	----	------	----	-----	------------

SPECIALTY COLLECTION



OG 078

ANSI Z87.1 | CSA Z94.3

Material: Propionate | Wire mesh integrated side shields



Grey



Crystal

52	37	54.7	18	145	Attached Wire Mesh	
54	38	56.2	20	145	Side Shields	

OG 800

ANSI Z87.1* | CSA Z94.3

Material: Polycarbonate/Thermoplastic Rubber (TPR)



Black

Rx Carrier					
	48	41	53.7	17	-

*ANSI Z87.1 (Droplets, Splash (D3) and Dust (D4))

SIDE SHIELD REFERENCE CHARTS



ONGUARD SIDE SHIELD REFERENCE CHART

EZ=EZ Shield

IS=iShield®

OG Style Number	Side Shield	OG Style Number	Side Shield
OG 013	013EZ	OG 140T	213EZ
OG 014	014EZ	OG 144	217EZ
OG 015	015EZ	OG 401/A	401EZ
OG 019	109EZ	OG 450	450EZ
OG 021	021EZ	OG 451	450EZ
OG 070	204EZ	OG 508	508EZ
OG 071	205EZ	OG 613	613IS
OG 076T	141EZ	OG 614	614IS
OG 085	150EZ	OG 616	616IS
OG 086	151EZ	OG 619	619IS
OG 090	161EZ	OG 620	620IS
OG 091	150EZ	OG 621	621IS
OG 093	163EZ	OG 702T	702EZ
OG 095	165EZ	OG 709FT	165EZ
OG 099T	169EZ	OG C211	C211EZ
OG 101	163EZ	OG C212	C212EZ
OG 102	165EZ	OG C213	C213EZ
OG 103	182EZ	OG C214	C214EZ
OG 108	178SS	OG F214	F214EZ
OG 110T	180EZ	OG F217	F217EZ
OG 112	182EZ	OG XC231	XC231EZ
OG 125	196EZ	OG XC232	XC232EZ
OG138	211EZ		

A-2 SIDE SHIELD REFERENCE CHART

EZ=EZ Shield

SG Style Number	Side Shield
SG 103	SG 3 EZ
SG 104	SG 3 EZ
SG 106	SG 6 EZ
SG 602 FT	SG 14 EZ



A⁻² COLLECTION

A-2® frames feature the patented SprinGuard™ lens retention system which secures lenses efficiently with less frame mass. A-2 eyewear is thinner and lighter yet still meets ANSI and CSA safety standards.



SG 602FT A⁻²

2025 PHASE OUT



ANSI Z87.1

Material: Titanium



49	29.9	50.8	19	130	SG 14 - EZ Shield™
52	31.9	53.7	19	135	

SG 103 A⁻²

2025 PHASE OUT



ANSI Z87.1 | CSA Z94.3 | EN166

Material: Monel | Spring hinges



56	40.0	59.4	18	145	SG 3 - EZ Shield™
58	41.8	61.8	18	145	

SG 104 A⁻²

2025 PHASE OUT



ANSI Z87.1 | CSA Z94.3 | EN166

Material: Monel | Spring hinges



53	37.0	56.6	18	140	SG 3 - EZ Shield™
55	38.8	58.0	18	145	

SG 106 A⁻²

2025 PHASE OUT



ANSI Z87.1 | CSA Z94.3 | EN166

Material: Monel | Spring hinges



52	34.2	54.4	19	140	SG 6 - EZ Shield™
54	36.0	56.5	19	145	

SAFETY EYEWEAR ACCESSORIES...

the complete safety eyewear solution



OptiPlus Anti-Fog Wipes

CNN Underscored's #1 Anti-Fog Wipes!

- Safe on all lenses, works with AR coated and polarized lenses
- A convenient single towelette applications that's a combination lens cleaner and anti-fog treatment all in one!
- Wide range of uses including eyewear and electronics

30 Count

PART NO: 1097472

60 Count

PART NO: 1097473

100 Count

PART NO: 1097474

OptiPlus Anti-Fog Wipes Dispensing Program

Help your patients enhance their frame selection journey by offering OptiPlus+ Anti-Fog wipes

30 Count Program

PART NO: 1100067

60 Count Program

PART NO: 1100069

100 Count Program

PART NO: 1100070



Eyewear Cases

Safety cases designed to hold the largest safety frames... with side shields!



Soft case with clip and flap (XL)

PART NO: 1062902



Semi-soft case with velcro closure (XL)

PART NO: 1062900



Soft case horizontal with belt loop (L)

PART NO: 1062904



Hard case, nylon cover with zipper and snap hook (XL)

PART NO: 1062905



Hard shell case (XL) plastic

PART NO: 1062913



Safety belt loop case

PART NO: 1080088



Safety slip-in case

PART NO: 1080087

Call for additional safety eyewear accessory products and ordering information!

Express Rx

LAB PROGRAM

THE HILCO VISION EXPRESS RX LAB PROGRAM

Introducing the Hilco Vision Express Rx Lab Program – a cutting-edge solution tailored for optical professionals seeking a swift and dependable partner in Rx Safety dispensing. In collaboration with VisionWeb, an advanced online ordering portal, Hilco Vision brings you a streamlined process that eliminates the hassles of traditional order forms, faxing, and scanning. Experience quicker delivery and effortless online tracking, allowing you to prioritize patient care while we ensure a seamless Rx Safety fulfillment experience for your practice.



Streamlined Ordering

You take control of entering your order into the VisionWeb portal.

No more cumbersome manual completion of order forms, faxing or scanning.

Easy order tracking on-line!



Faster Delivery

Manufacturing process begins the moment you enter your order into the VisionWeb portal!

View online UPS tracking capabilities too!

No delays, faster delivery time...patients receive their orders about 30% faster!



Accelerated Practice Growth

Have more time to spend with your patients, less time placing orders.

Streamlined process, greater efficiencies.... more profits!


Express Rx Program available for the following categories.



RX WORK SAFETY



RX SWIM & DIVE



RX SPORT SAFETY

At the beach, on the court or in the workplace, we have you covered.

ONGUARD™

INDUSTRIAL SAFETY Rx EYEWEAR

FEBRUARY 2025

HILCO VISION USA
575 West Street, Mansfield, MA USA 02048
Tel: (800) 955-6544 Fax: (508) 699-4579
www.hilcovevision.com